#### NASA/TM-2000-209891, Vol. 198



# Technical Report Series on the Boreal Ecosystem-Atmosphere Study (BOREAS)

Forrest G. Hall and Sara Conrad, Editors

# Volume 198 BOREAS TF-4 CO<sub>2</sub> and CH<sub>4</sub> Chamber Flux Data from the SSA

D. Anderson, R. Striegl and K. Wickland

National Aeronautics and Space Administration

**Goddard Space Flight Center** Greenbelt, Maryland 20771

#### The NASA STI Program Office ... in Profile

Since its founding, NASA has been dedicated to the advancement of aeronautics and space science. The NASA Scientific and Technical Information (STI) Program Office plays a key part in helping NASA maintain this important role.

The NASA STI Program Office is operated by Langley Research Center, the lead center for NASA's scientific and technical information. The NASA STI Program Office provides access to the NASA STI Database, the largest collection of aeronautical and space science STI in the world. The Program Office is also NASA's institutional mechanism for disseminating the results of its research and development activities. These results are published by NASA in the NASA STI Report Series, which includes the following report types:

- TECHNICAL PUBLICATION. Reports of completed research or a major significant phase of research that present the results of NASA programs and include extensive data or theoretical analysis. Includes compilations of significant scientific and technical data and information deemed to be of continuing reference value. NASA's counterpart of peer-reviewed formal professional papers but has less stringent limitations on manuscript length and extent of graphic presentations.
- TECHNICAL MEMORANDUM. Scientific and technical findings that are preliminary or of specialized interest, e.g., quick release reports, working papers, and bibliographies that contain minimal annotation. Does not contain extensive analysis.
- CONTRACTOR REPORT. Scientific and technical findings by NASA-sponsored contractors and grantees.

- CONFERENCE PUBLICATION. Collected papers from scientific and technical conferences, symposia, seminars, or other meetings sponsored or cosponsored by NASA.
- SPECIAL PUBLICATION. Scientific, technical, or historical information from NASA programs, projects, and mission, often concerned with subjects having substantial public interest.
- TECHNICAL TRANSLATION.
   English-language translations of foreign scientific and technical material pertinent to NASA's mission.

Specialized services that complement the STI Program Office's diverse offerings include creating custom thesauri, building customized databases, organizing and publishing research results . . . even providing videos.

For more information about the NASA STI Program Office, see the following:

- Access the NASA STI Program Home Page at http://www.sti.nasa.gov/STI-homepage.html
- E-mail your question via the Internet to help@sti.nasa.gov
- Fax your question to the NASA Access Help Desk at (301) 621-0134
- Telephone the NASA Access Help Desk at (301) 621-0390
- Write to:
   NASA Access Help Desk
   NASA Center for AeroSpace Information
   7121 Standard Drive

Hanover, MD 21076-1320

#### NASA/TM-2000-209891, Vol. 198



### Technical Report Series on the Boreal Ecosystem-Atmosphere Study (BOREAS)

Forrest G. Hall and Sara Conrad, Editors

# **Volume 198 BOREAS TF-4 CO<sub>2</sub> and CH<sub>4</sub> Chamber Flux Data from the SSA**

Dean Anderson, Robert Striegl and Kimberly Wickland U.S. Geological Survey, Denver

National Aeronautics and Space Administration

**Goddard Space Flight Center** Greenbelt, Maryland 20771

	Available from:	
NIAGA Conton for A G T C		Ni-diamater distribution of the control of the cont
NASA Center for AeroSpace Information		National Technical Information Service
7121 Standard Drive		5285 Port Royal Road
Hanover, MD 21076-1320		Springfield, VA 22161
Drice Code: A17		Del - C 1 - A 10
Price Code: A17		Price Code: A10

#### BOREAS TF-4 CO<sub>2</sub> and CH<sub>4</sub> Chamber Flux Data from the SSA

Dean Anderson, Robert Striegl, Kimberly Wickland

#### Summary

The BOREAS TF-4 team measured fluxes of CO<sub>2</sub> and CH<sub>4</sub> across the soil-air interface in four ages of jack pine forest at the BOREAS SSA during August 1993 to March 1995. Gross and net flux of CO<sub>2</sub> and flux of CH<sub>4</sub> between soil and air are presented for 24 chamber sites in mature jack pine forest, 20-year-old, 4-year-old, and clear cut areas. The data are stored in tabular ASCII files.

#### **Table of Contents**

- 1) Data Set Overview
- 2) Investigator(s)
- 3) Theory of Measurements
- 4) Equipment
- 5) Data Acquisition Methods
- 6) Observations
- 7) Data Description
- 8) Data Organization
- 9) Data Manipulations
- 10) Errors
- 11) Notes
- 12) Application of the Data Set
- 13) Future Modifications and Plans
- 14) Software
- 15) Data Access
- 16) Output Products and Availability
- 17) References
- 18) Glossary of Terms
- 19) List of Acronyms
- 20) Document Information

#### 1. Data Set Overview

#### 1.1 Data Set Identification

BOREAS TF-04 CO<sub>2</sub> and CH<sub>4</sub> Chamber Flux Data from the SSA

#### 1.2 Data Set Introduction

Data presented in this document were collected at the Old Jack Pine (OJP) and Young Jack Pine (YJP) tower flux sites and nearby clear cut areas at the BOReal Ecosystem-Atmosphere Study (BOREAS) Southern Study Area (SSA). The BOREAS Tower Flux (TF)-04 team measured fluxes of carbon dioxide (CO<sub>2</sub>) and methane (CH<sub>4</sub>) across the soil-air interface in four ages of jack pine forest at the SSA during August 1993 to March 1995. Gross and net flux of CO<sub>2</sub> and flux of CH<sub>4</sub> between soil and air are presented for 24 chamber sites in mature jack pine forest, 20-year-old and 4-year-old stands, and a clear cut area. The data are stored in tabular American Standard Code for Information Interchange (ASCII) files.

#### 1.3 Objective/Purpose

This study presents data relevant to understanding the transfer and storage of carbon among soil, the unsaturated zone, ground cover vegetation, and understory air in jack pine forest at the SSA. The data were collected continuously from May through September 1994 and during March 1995.

#### 1.4 Summary of Parameters

The primary focus is on the net fluxes of CO<sub>2</sub> and CH<sub>4</sub> measured.

#### 1.5 Discussion

Jack pine woodlands are an important component of the boreal forest, covering more than  $2 \times 10^{12}$  m² of predominantly well-drained uplands in northern North America. As part of BOREAS, our study objectives were (1) to compare soil respiration at an undisturbed 65- to 90-year-old mature jack pine-lichen woodland with soil respiration at a formerly continuous portion of the stand that was clear-cut harvested during the previous winter, and (2) to identify and quantify the sources of  $CO_2$  and  $CH_4$  production within the soil profile.

#### 1.6 Related Data Sets

BOREAS TGB-01 NSA CH4 and CO2 Chamber Flux Data

BOREAS TGB-01 CH4 Concentration and Flux Data from NSA Tower Sites

BOREAS TGB-01 NSA SF6 Chamber Flux Data

BOREAS TGB-01/TGB-03 CH4 Chamber Flux Data over the NSA Fen

BOREAS TGB-01/TGB-03 NEE Data over the NSA Fen

BOREAS TGB-03 Plant Species Composition Data over the NSA Fen

BOREAS TGB-03 CH4 and CO2 Chamber Flux Data over NSA Upland Sites

BOREAS TF-04 CO2 and CH4 Soil Profile Data from the SSA

#### 2. Investigator(s)

#### 2.1 Investigator(s) Name and Title

Dr. Rob Striegl, Hydrologist United States Geological Survey

Dr. Kimberly Wickland United States Geological Survey

#### 2.2 Title of Investigation

Automated Measurements of CO<sub>2</sub> Exchange at the Moss Surface of a Black Spruce Forest

#### 2.3 Contact Information

#### Contact 1:

Dr. Rob Striegl Hydrologist, United States Geological Survey P.O. Box 25046 MS 413 Denver, CO 80225 rstriegl@usgs.gov

#### Contact 2:

Dr. Kimberly P. Wickland Hydrologist, United States Geological Survey P.O. Box 25046 MS 413 Denver, CO 80225 Contact 3:
Jeffrey A. Newcomer
Raytheon ITSS
Code 923
NASA GSFC
Greenbelt, MD 20771
(301) 286-7858
(301) 286-0239 (fax)
Jeffrey.Newcomer@gsfc.nasa.gov

#### 3. Theory of Measurements

Atmospheric chemistry measurements and modeling studies identify a global imbalance between known CO<sub>2</sub> production and uptake, with a potentially large terrestrial carbon sink possible in boreal forests. Northern woodlands are also perceived to be very sensitive to climate change. The predicted warming and drying of the boreal region could profoundly affect regional carbon sources and sinks. Carbon cycling of the boreal forest has consequently been a central theme of much recent field research. With the intent of eventually extrapolating land-based carbon, energy, and water flux measurements to the entire boreal forest biome, BOREAS subdivided the northern and southern sections of Canadian boreal forest into aspen, jack pine, and bog-fen landscapes for intensive study. Studies within these vegetation types focused on a variety of factors that influence carbon cycling, including forest stand age and land surface disturbances (Sellers et al., 1995).

Soil respiration, the second largest flux in the global carbon cycle, includes all CO<sub>2</sub> produced by roots, soil organisms, and oxidation that is emitted across the soil-air interface. Although globally important, soil respiration is not well characterized spatially or seasonally for most ecosystems.

We derived response curves of measured soil CO<sub>2</sub> emission versus soil temperature for the measurement transects and applied them to soil temperatures that were continuously recorded at the BOREAS OJP flux tower, located approximately 0.2 k, northwest of the OJP transect. This allowed for simulation of continuous soil CO<sub>2</sub> emissions for May-September 1994. The simulation results, when considered with the winter tree removal, the deep well-sorted sandy soil, and the lack of complexity of the plant and soil communities, permitted separation of surface-soil, deep-soil, and tree-root respiration at the OJP stand. The OJP fluxes quantify the amount of CO<sub>2</sub> that is transported across the forest floor and is available for photosynthetic uptake by ground cover and understory plants and trees or for emission to the atmosphere. Because the groundcover was destroyed and all trees were removed by clear-cutting, the "CC" site fluxes represent net CO<sub>2</sub> emission to the atmosphere during the period between forest harvest and re-establishment of plant cover.

#### 4. Equipment

#### 4.1 Sensor/Instrument Description

#### 4.1.1 Collection Environment

Data were collected under all environmental conditions.

#### 4.1.2 Source/Platform

Ground.

#### 4.1.3 Source/Platform Mission Objectives

Support investigators and chambers.

#### 4.1.4 Key Variables

CO<sub>2</sub> and CH<sub>4</sub> flux.

#### 4.1.5 Principles of Operation

CO<sub>2</sub> and CH<sub>4</sub> fluxes were measured by the static chamber technique, which involves measuring the accumulation or loss of gas concentration within chambers placed on the soil surface versus time. The chambers, which are cylindrical with an open bottom and a closed top, are constructed from 0.30-m inside diameter polyvinylchloride (PVC) irrigation pipe. To prevent gas leakage to or from the chambers during measurement, they were affixed by a gasket to a collar, constructed from the same pipe material, that was inserted permanently into the soil to a depth of 0.10 m. When deployed, the collars and chambers had a combined height of 0.28 to 0.30 m. The chambers have a coiled 1.6-mm inside diameter aluminum tube installed through the sidewall near the top to equalize inside and outside pressure and are fitted with various gas ports for air circulation and sample collection. Gross soil CO<sub>2</sub> flux is the total amount of CO<sub>2</sub> that passes across the soil-groundcover/air interface in the absence of photosynthesis. Chambers for measurement of gross CO<sub>2</sub> flux and CH<sub>4</sub> flux have opaque PVC tops that create a dark chamber environment. Net soil CO<sub>2</sub> flux is gross flux minus CO<sub>2</sub> uptake by groundcover photosynthesis. Chambers for measurement of net CO<sub>2</sub> flux have clear polycarbonate tops that are optically transparent across the window of photosynthetically active radiation, allowing plant photosynthesis to occur. Air is recirculated inside the chambers at a rate of 0.25 chamber volume per minute to ensure mixing.

Gross and net CO<sub>2</sub> flux were measured by continuously monitoring the CO<sub>2</sub> concentration in air circulating in a chamber placed on the soil surface. CO<sub>2</sub> concentrations were recorded at 20-second intervals for 8 minutes using a LI-COR 6200 infrared gas analyzer (IRGA).

Soil CH<sub>4</sub> flux was measured by gas chromatograph (GC) analysis of a time series of six syringe samples of air collected from the center of volume of the chamber. Deployment times ranged from 24 to 40 minutes, depending on the anticipated flux rate. Rate of gas emission of consumption were determined by the equation:

 $J = dC/dt \times h$ 

where J is the rate of gas flux across the soil surface (mol/m<sup>2</sup>/s) C is the gas concentration in the chamber at ambient temperature and pressure (mol/m<sup>3</sup>), t is time, h is chamber height (m), and dC/dt is the slope of the best fit of the time series of concentration in the chamber as time approaches zero.

#### 4.1.6 Sensor/Instrument Measurement Geometry

Not applicable.

#### 4.1.7 Manufacturer of Sensor/Instrument

The chambers, which are cylindrical with an open bottom and a closed top, are constructed from 0.30 m inside diameter polyvinylchloride (PVC) irrigation pipe. To prevent gas leakage to or from the chambers during measurement, that were affixed by a gasket to a collar, constructed from the same pipe material, that was inserted permanently into the soil to a depth of 0.10 m. When deployed, the collars and chambers had a combined height of 0.28 to 0.30 m. The chambers have a coiled 1.6-mm inside diameter aluminum tube installed through the sidewall near the top to equalize inside and outside pressure and are fitted with various gas ports for air circulation and sample collection.

IRGA, Model 6262 LI-COR, Inc. Lincoln, NE

#### 4.2 Calibration

#### 4.2.1 Specifications

None given.

#### **4.2.1.1 Tolerance**

None given.

#### 4.2.2 Frequency of Calibration

Traceable gas calibration standards for all CO<sub>2</sub> and CH<sub>4</sub> analyses were provided by the BOREAS project.

#### 4.2.3 Other Calibration Information

None given.

#### 5. Data Acquisition Methods

Soil respiration was measured using closed chambers that attached to chamber collars permanently installed in the soil. Three pairs of the 0.38 m diameter chamber collars were inserted 0.10 m into the soil at each site along a 60-m transect, having 30 m between pairs of collars and 1 m between collars within pairs.

Traceable gas calibration standards for all CO<sub>2</sub> and CH<sub>4</sub> analyses were provided by BOREAS operations. CO<sub>2</sub> concentrations were measured using nondispersive IRGAs calibrated to span the expected concentration range. Three different IRGAs were used for measuring CO<sub>2</sub> concentration at the jack pine soil gas transects. Accumulation of CO<sub>2</sub> in soil gas flux chambers was measured using LI-COR model 6200. In situ soil CO<sub>2</sub> concentrations exceed the range of the LI-COR 6200, so two PP System model EGM IRGAs were used, one having a range up to 5000 parts per million (ppm) CO<sub>2</sub> and the second having a range up to 10,000 ppm CO<sub>2</sub>.

 $CH_4$  concentrations were measured using a Chrompack model 438A GC having a 2-meter 80-100 mesh Porapak-N column and a flame ionization detector. Carrier gas was nitrogen and the oven temperature was maintained at 38 °C.  $CH_4$  concentrations were calculated from standards curves established from a series of  $CH_4$  Standards run between every 8 to 10 samples. Concentrations smaller than 0.49 ppm were calculated by linear extrapolation of integrator response between a 0.49 ppm  $CH_4$  standard and a nitrogen blank.

The measurements were made by sealing a 0.30-m tall opaque polyvinyl chloride chamber cover over a chamber collar and continuously circulating air from the chamber at top center, through a LI-COR 6200 CO<sub>2</sub> analyzer, and back into the chamber through a perforated air-dispersion ring on the inside of the chamber base. Chamber CO<sub>2</sub> concentrations were measured at 1-s intervals and mean concentrations were recorded at 15-s intervals for 8 minutes. Insertion of the chamber collars into the soil, circulation of chamber air through the gas analyzer, the relatively large chamber diameter, and the relatively short chamber deployment times were all intended to minimize chamber effects known to influence soil gas flux measurements. CO<sub>2</sub> emission rates were calculated using:

 $J = dC/dt \times h$ 

where J is the rate of  $CO_2$  flux across the soil surface (mol/(m<sup>2</sup> s)), C is the  $CO_2$  concentration in the chamber at ambient temperature and pressure (mol/m<sup>3</sup>), t is time, h is chamber height (m), and dC/dt is the slope of the best fit of the time series of  $CO_2$  concentration in the chamber as time approaches zero.

#### 6. Observations

#### **6.1 Data Notes**

None given.

#### **6.2 Field Notes**

None given.

#### 7. Data Description

#### 7.1 Spatial Characteristics

#### 7.1.1 Spatial Coverage

The North American Datum of 1983 (NAD83) coordinates of the sites are:

SSA-OJP: 53.91634° N, 104.69203° W SSA-YJP: 53.87581° N, 104.64529° W Clear Cut (CC): 53.9090° N, 104.6595° W Recent Cut (RC): 53.9091° N, 104.6671° W

#### 7.1.2 Spatial Coverage Map

Not available.

#### 7.1.3 Spatial Resolution

These are point measurements made at the given locations.

#### 7.1.4 Projection

Not applicable.

#### 7.1.5 Grid Description

Not applicable.

#### 7.2 Temporal Characteristics

#### 7.2.1 Temporal Coverage

The data set covers the period from 26-May-1994 to 21-Mar-1995.

#### 7.2.2 Temporal Coverage Map

Not available.

#### 7.2.3 Temporal Resolution

Gross and net CO<sub>2</sub> flux were measured by continuously monitoring the CO<sub>2</sub> concentration in air circulating in a chamber placed on the soil surface. CO<sub>2</sub> concentrations were recorded at 20-second intervals for 8 minutes using a LI-COR 6200 IRGA.

Soil CH<sub>4</sub> flux was measured by GC analysis of a time series of six syringe samples of air collected from the center of volume of the chamber. Deployment times ranged from 24 to 40 minutes, depending on the anticipated flux rate.

#### 7.3 Data Characteristics

#### 7.3.1 Parameter/Variable

The parameters contained in the data files on the CD-ROM are:

#### TF04\_CH4\_CHAMBER\_FLUX:

Column Name

\_\_\_\_\_

SITE NAME

SUB\_SITE

DATE OBS

TIME OBS

CHAMBER\_ID

CH4 FLUX

REVISION DATE

CRTFCN CODE

#### TF04\_GROSS\_CO2\_CHAMBER\_FLUX:

Column Name

-----

SITE NAME

SUB SITE

DATE\_OBS

TIME\_OBS

CHAMBER\_ID

GROSS\_CO2\_FLUX

REVISION\_DATE

CRTFCN\_CODE

#### TF04\_NET\_CO2\_CHAMBER\_FLUX:

Column Name

-----

SITE NAME

SUB SITE

DATE OBS

TIME OBS

CHAMBER\_ID

NET\_CO2\_FLUX

REVISION\_DATE

CRTFCN\_CODE

#### 7.3.2 Variable Description/Definition

The descriptions of the parameters contained in the data files on the CD-ROM are:

#### TF04\_CH4\_CHAMBER\_FLUX:

Column Name Description

SITE NAME

The identifier assigned to the site by BOREAS,

The identifier assigned to the site by BOREAS, in the format SSS-TTT-CCCCC, where SSS identifies the portion of the study area: NSA, SSA, REG, TRN, and TTT identifies the cover type for the site, 999 if unknown, and CCCCC is the identifier for site, exactly what it means will vary with site type.

SUB\_SITE The identifier assigned to the sub-site by BOREAS

in the format GGGGG-IIIII, where GGGGG is the group associated with the sub-site instrument, e.g. HYD06 or STAFF, and IIIII is the identifier

for sub-site, often this will refer to an

instrument.

DATE\_OBS The date on which the data were collected.

TIME\_OBS The Greenwich Mean Time (GMT) when the data were

collected.

CHAMBER\_ID Identifier assigned to the chamber measured

CH4\_FLUX Methane flux.

REVISION DATE The most recent date when the information in the

referenced data base table record was revised.

CRTFCN CODE The BOREAS certification level of the data. Exa

Examples are CPI (Checked by PI), CGR (Certified by Group), PRE (Preliminary), and CPI-??? (CPI

but questionable).

#### TF04\_GROSS\_CO2\_CHAMBER\_FLUX:

Column Name Description

SITE\_NAME The identifier assigned to the site by BOREAS,

in the format SSS-TTT-CCCCC, where SSS identifies the portion of the study area: NSA, SSA, REG, TRN, and TTT identifies the cover type for the site, 999 if unknown, and CCCCC is the identifier for site, exactly what it means will vary with

site type.

SUB\_SITE The identifier assigned to the sub-site by BOREAS

in the format GGGGG-IIIII, where GGGGG is the group associated with the sub-site instrument, e.g. HYD06 or STAFF, and IIIII is the identifier  $\frac{1}{2}$ 

for sub-site, often this will refer to an

instrument.

DATE\_OBS The date on which the data were collected.

TIME\_OBS The Greenwich Mean Time (GMT) when the data were

collected.

CHAMBER\_ID Identifier assigned to the chamber measured

GROSS\_CO2\_FLUX The gross CO2 flux measured within the chamber.

REVISION DATE The most recent date when the information in the

referenced data base table record was revised.

CRTFCN\_CODE The BOREAS certification level of the data. Exa

Examples are CPI (Checked by PI), CGR (Certified by Group), PRE (Preliminary), and CPI-??? (CPI

but questionable).

# TF04\_NET\_CO2\_CHAMBER\_FLUX: Column Name

33141111111111	202011-01011
SITE_NAME	The identifier assigned to the site by BOREAS, in the format SSS-TTT-CCCCC, where SSS identifies the portion of the study area: NSA, SSA, REG, TRN, and TTT identifies the cover type for the site, 999 if unknown, and CCCCC is the identifier for site, exactly what it means will vary with
SUB_SITE	site type. The identifier assigned to the sub-site by BOREAS in the format GGGGG-IIIII, where GGGGG is the group associated with the sub-site instrument, e.g. HYD06 or STAFF, and IIIII is the identifier for sub-site, often this will refer to an instrument.
DATE OBS	The date on which the data were collected.
TIME_OBS	The Greenwich Mean Time (GMT) when the data were collected.
CHAMBER_ID	Identifier assigned to the chamber measured
NET_CO2_FLUX	The net CO2 flux measured within the chamber.
REVISION_DATE	The most recent date when the information in the

Description

referenced data base table record was revised.

The BOREAS certification level of the data. Exa Examples are CPI (Checked by PI), CGR (Certified by Group), PRE (Preliminary), and CPI-??? (CPI

7.3.3 Unit of Measurement

CRTFCN\_CODE

The measurement units for the parameters contained in the data files on the CD-ROM are:

but questionable).

#### TF04\_CH4\_CHAMBER\_FLUX:

Column Name	Units		
SITE_NAME SUB_SITE DATE_OBS TIME_OBS CHAMBER_ID CH4_FLUX REVISION_DATE	<pre>[none] [none] [DD-MON-YY] [HHMM GMT] [none] [micromoles][meter^-2][second^-1] [DD-MON-YY]</pre>		
CRTFCN_CODE	[none]		

#### ${\tt TF04\_GROSS\_CO2\_CHAMBER\_FLUX:}$

Column Name	Units
SITE_NAME	[none]
SUB_SITE	[none]
DATE_OBS	[DD-MON-YY]
TIME_OBS	[HHMM GMT]
CHAMBER_ID	[none]
GROSS_CO2_FLUX	[micromoles][meters^-2][second^-1]
REVISION_DATE	[DD-MON-YY]
CRTFCN_CODE	[none]

#### TF04\_NET\_CO2\_CHAMBER\_FLUX:

Column Name Units

\_\_\_\_\_\_

SITE\_NAME [none]
SUB\_SITE [none]
DATE\_OBS [DD-MON-YY]
TIME\_OBS [HHMM GMT]
CHAMBER\_ID [none]

REVISION\_DATE [DD-MON-YY]
CRTFCN CODE [none]

#### 7.3.4 Data Source

The source of the parameter values contained in the data files on the CD-ROM are:

#### TF04 CH4 CHAMBER FLUX:

Column Name Data Source

-----

SITE\_NAME [Assigned by BORIS Staff]
SUB SITE [Assigned by BORIS Staff]

DATE\_OBS [Investigator]
TIME\_OBS [Investigator]
CHAMBER\_ID [Investigator]
CH4\_FLUX [Gas Chromatograph]
DEVISION\_DATE

REVISION\_DATE [Assigned by BORIS Staff]
CRTFCN\_CODE [Assigned by BORIS Staff]

#### TF04\_GROSS\_CO2\_CHAMBER\_FLUX:

Column Name Data Source

\_\_\_\_\_\_

SITE\_NAME [Assigned by BORIS Staff]
SUB\_SITE [Assigned by BORIS Staff]

DATE\_OBS [Investigator]
TIME\_OBS [Investigator]
CHAMBER\_ID [Investigator]

GROSS\_CO2\_FLUX [LI-COR 6200 CO2 analyzer]
REVISION\_DATE [Assigned by BORIS Staff]
CRTFCN\_CODE [Assigned by BORIS Staff]

#### TF04\_NET\_CO2\_CHAMBER\_FLUX:

Column Name Data Source

SITE\_NAME [Assigned by BORIS Staff]
SUB\_SITE [Assigned by BORIS Staff]

DATE\_OBS [Investigator]
TIME\_OBS [Investigator]
CHAMBER ID [Investigator]

NET\_CO2\_FLUX [LI-COR 6200 CO2 analyzer]
REVISION\_DATE [Assigned by BORIS Staff]
CRTFCN\_CODE [Assigned by BORIS Staff]

#### 7.3.5 Data Range

The following table gives information about the parameter values found in the data files on the CD-ROM.

<b>TF04</b>	CH4	CHAMBER	FLUX:

	Minimum	Maximum	Missng	Unrel	Below	Data
	Data	Data	Data	Data	Detect	Not
Column Name	Value	Value	Value	Value	Limit	Cllctd
SITE_NAME	SSA-9JP-CLRCT	SSA-YJP-FLXTR	None	None	None	None
SUB_SITE	9TF04-FLX01	9TF04-FLX02	None	None	None	None
DATE_OBS	31-MAY-94	21-MAR-95	None	None	None	None
TIME_OBS	1420	2341	None	None	None	None
CHAMBER_ID	A	X	None	None	None	None
CH4_FLUX	-643	0	None	None	None	None
REVISION_DATE	09-NOV-98	10-NOV-98	None	None	None	None
CRTFCN_CODE	CPI	CPI	None	None	None	None

#### TF04\_GROSS\_CO2\_CHAMBER\_FLUX:

	Minimum	Maximum	Missng	Unrel	Below	Data
	Data	Data	Data	Data	Detect	Not
Column Name	Value	Value	Value	Value	Limit	Cllctd
SITE_NAME	SSA-9JP-CLRCT	SSA-YJP-FLXTR	None	None	None	None
SUB_SITE	9TF04-FLX01	9TF04-FLX02	None	None	None	None
DATE_OBS	26-MAY-94	20-MAR-95	None	None	None	None
TIME_OBS	0	2350	None	None	None	None
CHAMBER_ID	A	X	None	None	None	None
GROSS_CO2_FLUX	18	9.15	None	None	None	None
REVISION_DATE	10-NOV-98	10-NOV-98	None	None	None	Blank
CRTFCN_CODE	CPI	CPI	None	None	None	None

#### TF04\_NET\_CO2\_CHAMBER\_FLUX:

Column Name	Minimum Data Value	Maximum Data Value	Missng Data Value	Unrel Data Value	Below Detect Limit	Data Not Cllctd
SITE_NAME SUB_SITE DATE_OBS TIME_OBS CHAMBER_ID NET_CO2_FLUX REVISION_DATE	SSA-9JP-CLRCT 9TF04-FLX01 02-JUN-94 234 A -1.82 10-NOV-98	SSA-YJP-FLXTR 9TF04-FLX02 15-SEP-94 2308 X 6.63 10-NOV-98	None None None None None None	None None None None None None	None None None None None None	None None None None None None
CRTFCN_CODE	CPI	CPI	None	None	None	None

Minimum Data Value -- The minimum value found in the column.

Maximum Data Value -- The maximum value found in the column.

Missng Data Value -- The value that indicates missing data. This is used to

indicate that an attempt was made to determine the parameter value, but the attempt was unsuccessful.

Unrel Data Value -- The value that indicates unreliable data. This is used

to indicate an attempt was made to determine the parameter value, but the value was deemed to be unreliable by the analysis personnel.

Below Detect Limit -- The value that indicates parameter values below the instruments detection limits. This is used to indicate that an attempt was made to determine the parameter value, but the analysis personnel determined that the parameter value was below the detection limit of the instrumentation.

Data Not Cllctd

-- This value indicates that no attempt was made to determine the parameter value. This usually indicates that BORIS combined several similar but not identical data sets into the same data base table but this particular science team did not measure that parameter.

Blank -- Indicates that blank spaces are used to denote that type of value. N/A -- Indicates that the value is not applicable to the respective column. None -- Indicates that no values of that sort were found in the column.

#### 7.4 Sample Data Record

The following are wrapped versions of data record from a sample data file on the CD-ROM.

#### TF04\_CH4\_CHAMBER\_FLUX:

SITE\_NAME, SUB\_SITE, DATE\_OBS, TIME\_OBS, CHAMBER\_ID, CH4\_FLUX, REVISION\_DATE, CRTFCN\_CODE

```
'SSA-9JP-CLRCT', '9TF04-FLX01',10-JUN-94,1620, 'S',-101.0,09-NOV-98, 'CPI' 
'SSA-9JP-CLRCT', '9TF04-FLX01',10-JUN-94,1621, 'T',-172.0,09-NOV-98, 'CPI'
```

#### TF04\_GROSS\_CO2\_CHAMBER\_FLUX:

SITE\_NAME, SUB\_SITE, DATE\_OBS, TIME\_OBS, CHAMBER\_ID, GROSS\_CO2\_FLUX, REVISION\_DATE, CRTFCN\_CODE

```
'SSA-9JP-CLRCT', '9TF04-FLX01', 26-MAY-94, 2326, 'W', 1.75, 10-NOV-98, 'CPI'
```

#### TF04\_NET\_CO2\_CHAMBER\_FLUX:

SITE\_NAME,SUB\_SITE,DATE\_OBS,TIME\_OBS,CHAMBER\_ID,NET\_CO2\_FLUX,REVISION\_DATE,CRTFCN\_CODE

```
'SSA-9JP-CLRCT', '9TF04-FLX01', 28-JUN-94, 1824, 'S', 1.37, 10-NOV-98, 'CPI'
```

<sup>&#</sup>x27;SSA-9JP-CLRCT', '9TF04-FLX01',10-JUN-94,1643,'V',-158.0,09-NOV-98,'CPI''
'SSA-9JP-CLRCT', '9TF04-FLX01',10-JUN-94,1644,'U',-76.0,09-NOV-98,'CPI'

<sup>&#</sup>x27;SSA-9JP-CLRCT', '9TF04-FLX01', 26-MAY-94, 2338, 'X', 1.55, 10-NOV-98, 'CPI'

<sup>&#</sup>x27;SSA-9JP-CLRCT', '9TF04-FLX01', 26-MAY-94, 2350, 'V', 1.51, 10-NOV-98, 'CPI'

<sup>&#</sup>x27;SSA-9JP-CLRCT', '9TF04-FLX01', 28-JUN-94, 1840, 'T', 1.87, 10-NOV-98, 'CPI'

#### 8. Data Organization

#### 8.1 Data Granularity

The smallest unit of data tracked by the BOREAS Information System (BORIS) is the measurement(s) made for a given site at a given time.

#### **8.2 Data Format(s)**

The Compact Disk-Read-Only Memory (CD-ROM) files contain ASCII numerical and character fields of varying length separated by commas. The character fields are enclosed with single apostrophe marks. There are no spaces between the fields.

Each data file on the CD-ROM has four header lines of Hyper-Text Markup Language (HTML) code at the top. When viewed with a Web browser, this code displays header information (data set title, location, date, acknowledgments, etc.) and a series of HTML links to associated data files and related data sets. Line 5 of each data file is a list of the column names, and line 6 and following lines contain the actual data.

#### 9. Data Manipulations

#### 9.1 Formulae

#### 9.1.1 Derivation Techniques and Algorithms

None given.

#### 9.2 Data Processing Sequence

#### 9.2.1 Processing Steps

None given

#### 9.2.2 Processing Changes

None given.

#### 9.3 Calculations

#### 9.3.1 Special Corrections/Adjustments

None given.

#### 9.3.2 Calculated Variables

 $CO_2$  emission rates were calculated using  $J=dC/dt\ x$  h, where J is the rate of  $CO_2$  flux across the soil surface (mol/(m<sup>2</sup> s)), C is the  $CO_2$  concentration in the chamber at ambient temperature and pressure (mol/m<sup>3</sup>), C is time, C is the slope of the best fit of the time series of  $CO_2$  concentration in the chamber as time approaches zero.

#### 9.4 Graphs and Plots

None given.

#### 10. Errors

#### 10.1 Sources of Error

None given.

#### **10.2 Quality Assessment**

#### 10.2.1 Data Validation by Source

None given.

#### 10.2.2 Confidence Level/Accuracy Judgment

None given.

#### **10.2.3 Measurement Error for Parameters**

None given.

#### 10.2.4 Additional Quality Assessments

None given.

#### 10.2.5 Data Verification by Data Center

Data were examined for general consistency and clarity.

#### 11. Notes

#### 11.1 Limitations of the Data

None given.

#### 11.2 Known Problems with the Data

None given.

#### 11.3 Usage Guidance

None given.

#### 11.4 Other Relevant Information

None given.

#### 12. Application of the Data Set

None given.

#### 13. Future Modifications and Plans

None given.

#### 14. Software

#### 14.1 Software Description

None given.

#### 14.2 Software Access

Not applicable.

#### 15. Data Access

The CO<sub>2</sub> and CH<sub>4</sub> chamber flux data are available from the Earth Observing System Data and Information System (EOSDIS) Oak Ridge National Laboratory (ORNL) Distributed Active Archive Center (DAAC).

#### 15.1 Contact Information

For BOREAS data and documentation please contact:

ORNL DAAC User Services Oak Ridge National Laboratory P.O. Box 2008 MS-6407 Oak Ridge, TN 37831-6407

Phone: (423) 241-3952 Fax: (423) 574-4665

E-mail: ornldaac@ornl.gov or ornl@eos.nasa.gov

#### 15.2 Data Center Identification

Earth Observing System Data and Information System (EOSDIS) Oak Ridge National Laboratory (ORNL) Distributed Active Archive Center (DAAC) for Biogeochemical Dynamics http://www-eosdis.ornl.gov/.

#### 15.3 Procedures for Obtaining Data

Users may obtain data directly through the ORNL DAAC online search and order system [http://www-eosdis.ornl.gov/] and the anonymous FTP site [ftp://www-eosdis.ornl.gov/data/] or by contacting User Services by electronic mail, telephone, fax, letter, or personal visit using the contact information in Section 15.1.

#### 15.4 Data Center Status/Plans

The ORNL DAAC is the primary source for BOREAS field measurement, image, GIS, and hardcopy data products. The BOREAS CD-ROM and data referenced or listed in inventories on the CD-ROM are available from the ORNL DAAC.

#### 16. Output Products and Availability

#### 16.1 Tape Products

None.

#### 16.2 Film Products

None.

#### 16.3 Other Products

These data are available on the BOREAS CD-ROM series.

#### 17. References

# **17.1 Platform/Sensor/Instrument/Data Processing Documentation** None given.

17.2 Journal Articles and Study Reports

Newcomer, J., D. Landis, S. Conrad, S. Curd, K. Huemmrich, D. Knapp, A. Morrell, J. Nickeson, A. Papagno, D. Rinker, R. Strub, T. Twine, F. Hall, and P. Sellers, eds. 2000. Collected Data of The Boreal Ecosystem-Atmosphere Study. NASA. CD-ROM.

Sellers, P. and F. Hall. 1994. Boreal Ecosystem-Atmosphere Study: Experiment Plan. Version 1994-3.0, NASA BOREAS Report (EXPLAN 94).

Sellers, P. and F. Hall. 1996. Boreal Ecosystem-Atmosphere Study: Experiment Plan. Version 1996-2.0, NASA BOREAS Report (EXPLAN 96).

Sellers, P., F. Hall, and K.F. Huemmrich. 1996. Boreal Ecosystem-Atmosphere Study: 1994 Operations. NASA BOREAS Report (OPS DOC 94).

Sellers, P., F. Hall, and K.F. Huemmrich. 1997. Boreal Ecosystem-Atmosphere Study: 1996 Operations. NASA BOREAS Report (OPS DOC 96).

Sellers, P., F. Hall, H. Margolis, B. Kelly, D. Baldocchi, G. den Hartog, J. Cihlar, M.G. Ryan, B. Goodison, P. Crill, K.J. Ranson, D. Lettenmaier, and D.E. Wickland. 1995. The boreal ecosystem-atmosphere study (BOREAS): an overview and early results from the 1994 field year. Bulletin of the American Meteorological Society. 76(9):1549-1577.

Sellers, P.J., F.G. Hall, R.D. Kelly, A. Black, D. Baldocchi, J. Berry, M. Ryan, K.J. Ranson, P.M. Crill, D.P. Lettenmaier, H. Margolis, J. Cihlar, J. Newcomer, D. Fitzjarrald, P.G. Jarvis, S.T. Gower, D. Halliwell, D. Williams, B. Goodison, D.E. Wickland, and F.E. Guertin. 1997. BOREAS in 1997: Experiment Overview, Scientific Results and Future Directions. Journal of Geophysical Research 102(D24): 28,731-28,770.

Striegl, R.G. and K.P. Wickland. 1998. Effects of a clear-cut harvest on soil respiration in a jack-pine lichen woodland. Can. Jour. Forest Research 28:534-539.

Wickland, K.P. and R.G. Striegl. 1997. Measurements of soil carbon dioxide and methane concentrations and fluxes, and soil properties at four ages of jack pine forest in the Southern Study Area of the Boreal Ecosystem Atmosphere Study, Saskatchewan, Canada, 1993-1995. U.S. Geological Survey Open-File Report. 97-49.

# 17.3 Archive/DBMS Usage Documentation None.

#### 18. Glossary of Terms

None.

#### 19. List of Acronyms

ASCII - American Standard Code for Information Interchange

BOREAS - BOReal Ecosystem-Atmosphere Study

BORIS - BOREAS Information System

CC - Clear Cut site

CD-ROM - Compact Disk-Read-Only Memory DAAC - Distributed Active Archive Center

- Earth Observing System EOS

EOSDIS - EOS Data and Information System

GIS - Geographic Information System
GMT - Greenwich Moor T'

GSFC - Goddard Space Flight Center HTML - HyperText Markup Language IRGA - Infrared Gas Analyzer

NAD83 - North American Datum of 1983

NASA - National Aeronautics and Space Administration

NSA - Northern Study Area OBS - Old Black Spruce OJP - Old Jack Pine

ORNL - Oak Ridge National Laboratory PANP - Prince Albert National Park

PPFD - Photosynthetically Active Photon Flux Density

PVC - Polyvinylchloride RC - Recently Cut site - Southern Study Area SSA

TF - Tower Flux

- Trace Gas Biochemistry TGB URL - Uniform Resource Locator YJP - Young Jack Pine

#### 20. Document Information

#### 20.1 Document Revision Date

Written: 01-Dec-1998 Last Updated: 20-Aug-1999

#### 20.2 Document Review Date(s)

BORIS Review: 03-Dec-1998

Science Review:

#### 20.3 Document ID

#### 20.4 Citation

When using these data, please include the following acknowledgment as well as citations of relevant papers in Section 17.2:

Wickland, K.P., and R.G. Striegl. 1997. Measurements of soil carbon dioxide and methane concentrations and fluxes, and soil properties at four ages of jack pine forest in the Southern Study Area of the Boreal Ecosystem Atmosphere Study, Saskatchewan, Canada, 1993-1995. U.S. Geological Survey Open-File Report. 97-49.

Striegl, R.G. and K.P. Wickland. 1998. Effects of a clear-cut harvest on soil respiration in a jack-pine lichen woodland. Can. Jour. Forest Research 28:534-539.

If using data from the BOREAS CD-ROM series, also reference the data as:

Striegl, R. and K. Wickland, "Automated Measurements of CO<sub>2</sub> Exchange at the Moss Surface of a Black Spruce Forest." In Collected Data of The Boreal Ecosystem-Atmosphere Study. Eds. J. Newcomer, D. Landis, S. Conrad, S. Curd, K. Huemmrich, D. Knapp, A. Morrell, J. Nickeson, A. Papagno, D. Rinker, R. Strub, T. Twine, F. Hall, and P. Sellers. CD-ROM. NASA, 2000.

#### Also, cite the BOREAS CD-ROM set as:

Newcomer, J., D. Landis, S. Conrad, S. Curd, K. Huemmrich, D. Knapp, A. Morrell, J. Nickeson, A. Papagno, D. Rinker, R. Strub, T. Twine, F. Hall, and P. Sellers, eds. Collected Data of The Boreal Ecosystem-Atmosphere Study. NASA. CD-ROM. NASA, 2000.

#### **20.5 Document Curator**

#### 20.6 Document URL

#### REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget. Paperwork Reduction Project (0704-0188), Washington, DC 20503.

Davis Highway, Suite 1204, Arlington, VA 22202-430	22, and to the Office of Management and	Budget, Paperwork Reduction	Project (0704-0188), Washington, DC 20503.
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE October 2000	3. REPORT TYPE AN Technical Me	
4. TITLE AND SUBTITLE  Technical Report Series on the Bo  BOREAS TF-4 $CO_2$ and $CH_4$	•	• .	5. FUNDING NUMBERS  923
6. AUTHOR(S)  Dean Anderson, Robert Strieg  Forrest G. Hall and Sara Conn	•	d	RTOP: 923-462-33-01
7. PERFORMING ORGANIZATION NAME Goddard Space Flight Center Greenbelt, Maryland 20771	E(S) AND ADDRESS (ES)		8. PEFORMING ORGANIZATION REPORT NUMBER  2000-03136-0
9. SPONSORING / MONITORING AGE National Aeronautics and Space Washington, DC 20546-0001		s (ES)	10. SPONSORING / MONITORING AGENCY REPORT NUMBER TM-2000-209891 Vol. 198
11. SUPPLEMENTARY NOTES  D. Anderson, R. Striegl, and I	K. Wickland: U.S. Geolog	gical Survey, Den	ver; S. Conrad: DynCorp.
12a. DISTRIBUTION / AVAILABILITY STA Unclassified—Unlimited Subject Category: 43 Report available from the NASA 7121 Standard Drive, Hanover, 1	A Center for AeroSpace Inf	•	12b. DISTRIBUTION CODE
13. ABSTRACT (Maximum 200 words) The BOREAS TF-4 team mea	asured fluxes of CO and	CH across the so	il-air interface in four ages of

The BOREAS TF-4 team measured fluxes of  $CO_2$  and  $CH_4$  across the soil-air interface in four ages of jack pine forest at the BOREAS SSA during August 1993 to March 1995. Gross and net flux of  $CO_2$  and flux of  $CH_4$  between soil and air are presented for 24 chamber sites in mature jack pine forest, 20-year-old, 4-year-old, and clear cut areas. The data are stored in tabular ASCII files.

14. SUBJECT TERMS BOREAS, tower flux.			15. NUMBER OF PAGES 18
			16. PRICE CODE
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT $UL \\$